

Utah Weekly Pertussis Update

2017 data, through MMWR week ending August 26, 2017 (MMWR week 34)


Data presented in this report are based on current data available and will be subject to change weekly.

Data Summary

Total number of cases reported, 2017 year-to-date		Utah Incidence rate, 2017 year-to-date (YTD) per	
(YTD)	320	100,000 person-years	16.4
		Utah Incidence rate, 2016 per 100,000 person-	
Total number of cases reported 2016	267	years	9.1
		National Incidence rate*, 2015 per 100,000	
Number of cases reported in past week	8	person-years.	5.7
Total number of cases reported, through same time			
period 2016	182	2017 Hospitalizations	13
	<1		
Age groups with the highest rates	1-4	2017 Cases in infants <1 year	28

^{*}National Incidence Rate is updated as released by the Centers for Disease Control and Prevention.

Number of cases reported by week



^{*}Additional cases may have occurred, especially in the most recent 3 weeks that have not yet been reported, as indicated by the grayed out section of the graph above.

2017 Year-to-Date Incidence Rates, By Age

	2017	2015	
Age (years)	Cases	population	Rate*
<1	28	50,821	84.5
1-4	45	199,882	34.5
5-14	87	516,820	25.8
15-24	68	485,295	21.5
25-34	14	441,518	4.9
35-44	26	399,342	10.0
45-54	18	309,941	8.9
55-64	14	284,433	7.5
65+	20	307,867	10.0
Total	320	2,995,919	16.4

^{*} Rate is calculated per 100,000 person years.


Infants less than 1 year of age have historically had the highest incidence rates of pertussis due to their susceptibility.

School Age Incidence Rates, 2017 Year-to-Date

, i				
	Age		2015	
Grade	(years)	2017 Cases	Population	Rate*
Preschool	3-4	19	99,213	29.4
Kindergarten	5	8	52,218	23.5
1	6	5	52,501	14.6
2	7	8	53,394	23.0
3	8	7	53,225	20.2
4	9	8	52,275	23.5
5	10	8	52,118	23.5
6	11	10	51,405	29.8
7	12	5	50,993	15.0
8	13	10	49,184	31.2
9	14	18	49,507	55.8
10	15	10	49,530	31.0
11	16	19	47,991	60.7
12	17	15	47,452	48.5

^{*} Rate is calculated per 100,000 person-years. School age incidence rates were calculated using the average age of a student in each grade. High incidence rates in 5th and 6th grade may be due to waining immunity.

Utah Case Counts of Pertussis, 2012-2017* Year to Date



Pertussis tends to be cyclical. Reports have increased in Utah since 2010, peaked in 2012, and are currently trending downward.

^{* 2017} data includes pertussis cases reported year to date. 2012-2016 data reflects cases reported during the entire calendar year for each year.



Incidence of pertussis by Local Health Department, 2017 YTD

Local Health Department	2017 Cases	Rate*
Bear River	0	0.0
Central Utah	10	19.9
Davis County	23	10.5
Salt Lake County	207	28.7
San Juan County	0	0.0
Southeast Utah	0	0.0
Southwest Utah	2	1.4
Summit County	1	3.9
Tooele County	0	0.0
TriCounty	0	0.0
Utah County	36	9.6
Wasatch County	1	5.3
Weber-Morgan	40	24.1

^{*} Rate is calculated per 100,000 person-years using 2015 Utah population estimates.

